Amendments to the Claims:

Please cancel claim 39 without prejudice or disclaimer. Claims 26, 33, 38, and 41 have been amended herein. Please note that all claims currently pending and under consideration in the referenced application are shown below. Please enter these claims as amended. This listing of claims will replace all prior versions and listings of claims in the application. Please cancel claims 1 through 25, without prejudice to the filing of one or more divisional applications including same.

Listing of Claims:

Claims 1-25 (Canceled)

- 26. (Currently amended) A semiconductor substrate assembly, comprising: at least one semiconductor die having a plurality of bond pads formed on an active surface thereof;
- at least one anisotropically conductive layer comprising a plurality of laterally isolated conductive elements disposed in a dielectric material and having upper ends exposed therethrough attached to the active surface;
- a plurality of conductive bumps on the at least one anisotropically conductive layer with each conductive bump in contact with at least one conductive element of the plurality; and wire bonds extending between the bond pads and the conductive bumps.
- 27. (Original) The assembly of claim 26, wherein the at least one anisotropically conductive layer comprises conductive elements in the form of discrete metal columns embedded in a polymeric material.
- 28. (Original) The assembly of claim 27, wherein the discrete metal columns have a diameter of about 1 μ m to about 15 μ m.

- 29. (Original) The assembly of claim 27, wherein the discrete metal columns have a diameter of about 2 μ m to about 8 μ m.
- 30. (Original) The assembly of claim 27, wherein the polymeric material comprises a tape or film.
- 31. (Original) The assembly of claim 26, wherein the conductive elements comprise at least one of tungsten, aluminum, copper, silver, gold, and alloys thereof.
- 32. (Original) The assembly of claim 26, wherein the at least one anisotropically conductive layer is attached to the active surface by an adhesive.
- 33. (Currently amended) The assembly of claim 26, further comprising: a substrate having a plurality of terminal pads on a surface thereof; and wire bonds extending between the plurality of conductive bumps and the plurality of terminal pads.
- 34. (Original) The assembly of claim 33, wherein the substrate comprises one of a circuit board, an interposer, a semiconductor die, a wafer and a partial wafer.
- 35. (Original) The assembly of claim 32, further comprising a dielectric layer over the at least one semiconductor die, the bond pads, the conductive bumps and the wire bonds.
- 36. (Original) The assembly of claim 26, wherein the conductive bumps are attached to the conductive elements by metallurgical bonds.
- 37. (Original) The assembly of claim 26, wherein the conductive bumps and the wire bonds are formed of gold.

- 38. (Currently amended) The assembly of claim 26, A semiconductor substrate assembly, comprising:
- at least one semiconductor die having a plurality of bond pads formed on an active surface thereof;
- at least one anisotropically conductive layer comprising a plurality of laterally isolated

 conductive elements disposed in a dielectric material and having upper ends exposed

 therethrough attached to the active surface; and
- a plurality of conductive bumps on the at least one anisotropically conductive layer with each conductive bump in contact with at least one conductive element of the plurality; wire bonds between the bond pads and the conductive bumps;
- wherein the at least one semiconductor die has the plurality of bond pads centrally located along an axis thereof and the at least one anisotropically conductive layer comprises a plurality of anisotropically conductive layers adjacent the plurality of bond pads on opposing sides thereof; and
- wherein the at least one semiconductor die comprises a wafer including a plurality of
 semiconductor dice, and the plurality of anisotropically conductive layers are disposed
 between pluralities of bond pads of adjacent semiconductor dice and extending over
 boundaries therebetween.
 - 39. (Canceled)
- 40. (Original) The assembly of claim 26, wherein the at least one semiconductor die is in the form of a singulated die, a partial wafer comprising a plurality of semiconductor dice or a wafer comprising a plurality of semiconductor dice.
- 41. (Currently amended) <u>A semiconductor substrate assembly, comprising:</u>

 at least one semiconductor die having a plurality of bond pads formed on an active surface thereof;

- at least one anisotropically conductive layer comprising a plurality of laterally isolated

 conductive elements disposed in a dielectric material and having upper ends exposed therethrough attached to the active surface;
- a plurality of conductive bumps on the at least one anisotropically conductive layer with each conductive bump in contact with at least one conductive element of the plurality; wire bonds between the bond pads and the conductive bumps; and
- The assembly of claim 26, further comprising another plurality of conductive bumps, each conductive bump of the another plurality disposed on one of the plurality of conductive bumps.
- 42. (Original) The assembly of claim 41, further comprising:
 a substrate having a plurality of terminal pads on a surface thereof with the conductive bumps of
 the another plurality in alignment with and bonded to the terminal pads.
- 43. (Original) The assembly of claim 42, wherein the substrate comprises one of a circuit board, an interposer, a semiconductor die, a wafer and a partial wafer.
- 44. (Original) The assembly of claim 43, wherein the at least one semiconductor die comprises a wafer including a plurality of semiconductor dice and the substrate comprises a wafer-scale substrate.
- 45. (Original) The assembly of claim 42, further comprising a dielectric underfill material between the at least one semiconductor die and the substrate.
- 46. (Original) The assembly of claim 41, further comprising a dielectric material covering the plurality of conductive bumps, the bond pads and the wire bonds therebetween and leaving at least a portion of each of the conductive bumps of the another plurality exposed therethrough.